

See page 343 for Deck Plate options.

See pages 346 - 363 for Rear Center Panel and Rear Light Bar options.



To keep your equipment looking great use RoadWorks Detail Products, seen on pages 314-317.



14 GAUGE SEVERE DUTY DECK PLATES

**FOR USE WITH DOUBLE SIDED AIRLINE BOXES**  
Mounting brackets included for a no drill installation. (Each)

	<b>I - SMOOTH DECK PLATE</b> With cutout for double sided air line box.	<b>J - FULLY TREADED DECK PLATE</b> With cutout for double sided air line box.	<b>HALF TREADED DECK PLATE</b> With cutout for double sided air line box.	<b>SMOOTH DECK PLATE</b> with no cutout.	<b>TREADED DECK PLATE</b> With no cutout.
12"	12210-12A-DS	12211-12A-DS	12212-12A-DS	12210-12	12211-12
18"	12210-18A-DS	12211-18A-DS	12212-18A-DS	12210-18	12211-18
24"	12210-24A-DS	12211-24A-DS	12212-24A-DS	12210-24	12211-24
30"	12210-30A-DS	12211-30A-DS	12212-30A-DS	12210-30	12211-30
36"	12210-36A-DS	12211-36A-DS	12212-36A-DS	12210-36	12211-36
42"	12210-42A-DS	12211-42A-DS	12212-42A-DS	12210-42	12211-42
48"	12210-48A-DS	12211-48A-DS	12212-48A-DS	12210-48	12211-48

**FOR USE WITH SINGLE SIDED AIRLINE BOXES** - Mounting brackets included for a no drill installation. (Each)

	<b>SMOOTH DECK PLATE</b> With cutout for single sided air line box.	<b>TREADED DECK PLATE</b> With cutout for single sided air line box.
12"	12210-12A	12211-12A
18"	12210-18A	12211-18A
24"	12210-24A	12211-24A
30"	12210-30A	12211-30A
36"	12210-36A	12211-36A
42"	12210-42A	12211-42A
48"	12210-48A	12211-48A



Smooth Deck Plate.



Treaded Deck Plate.

See next page for measurement diagrams and comparison photo of 14 Gauge and 18 Gauge Tread Patterns.

18 GAUGE REGULAR DUTY DECK PLATES

**FOR USE WITH DOUBLE SIDED AIRLINE BOXES**  
Mounting brackets included for a no drill installation. (Each)

	<b>I - SMOOTH DECK PLATE</b> With cutout for double sided air line box.	<b>J - FULLY TREADED DECK PLATE</b> With cutout for double sided air line box.	<b>HALF TREADED DECK PLATE</b> With cutout for double sided air line box.	<b>SMOOTH DECK PLATE</b> with no cutout.	<b>TREADED DECK PLATE</b> With no cutout.
12"	12200-12A-DS	12201-12A-DS	12202-12A-DS	12200-12	12201-12
18"	12200-18A-DS	12201-18A-DS	12202-18A-DS	12200-18	12201-18
24"	12200-24A-DS	12201-24A-DS	12202-24A-DS	12200-24	12201-24
30"	12200-30A-DS	12201-30A-DS	12202-30A-DS	12200-30	12201-30
36"	12200-36A-DS	12201-36A-DS	12202-36A-DS	12200-36	12201-36
42"	12200-42A-DS	12201-42A-DS	12202-42A-DS	12200-42	12201-42
48"	12200-48A-DS	12201-48A-DS	12202-48A-DS	12200-48	12201-48

**FOR USE WITH SINGLE SIDED AIRLINE BOXES** - Mounting brackets included for a no drill installation. (Each)




	<b>SMOOTH DECK PLATE</b> With cutout for single sided air line box.	<b>TREADED DECK PLATE</b> With cutout for single sided air line box.
12"	12200-12A	12201-12A
18"	12200-18A	12201-18A
24"	12200-24A	12201-24A
30"	12200-30A	12201-30A
36"	12200-36A	12201-36A
42"	12200-42A	12201-42A
48"	12200-48A	12201-48A

304 STAINLESS STEEL					
12"	N12200-12A-DS	N12201-12A-DS	N12202-12A-DS	N12200-12	N12201-12
18"	N12200-18A-DS	N12201-18A-DS	N12202-18A-DS	N12200-18	N12201-18
24"	N12200-24A-DS	N12201-24A-DS	N12202-24A-DS	N12200-24	N12201-24
30"	N12200-30A-DS	N12201-30A-DS	N12202-30A-DS	N12200-30	N12201-30
36"	N12200-36A-DS	N12201-36A-DS	N12202-36A-DS	N12200-36	N12201-36
42"	N12200-42A-DS	N12201-42A-DS	N12202-42A-DS	N12200-42	N12201-42
48"	N12200-48A-DS	N12201-48A-DS	N12202-48A-DS	N12200-48	N12201-48

304 STAINLESS STEEL	
12"	N12200-12A
18"	N12200-18A
24"	N12200-24A
30"	N12200-30A
36"	N12200-36A
42"	N12200-42A
48"	N12200-48A

N \*The part numbers beginning with 'N' in the right-sided column designate 304 stainless material. 304 stainless has enhanced corrosion resistance.

DECK PLATES DIAGRAMS & TREAD PATTERNS  
IN FRAME BOXES AND FRAME STEPS



IN-FRAME BOXES (Each)

NEW

In Frame Box  
25.125" wide, 24.125" long, 7.5" deep from top of  
frame rail to bottom of box.

A. 12250    N12250

PETERBILT FRAME STEPS (Each)

NEW

Peterbilt Cross Member Frame Steps for 7.875" Bolt  
Spacing

B. 34050    N34050

